

BUILDING TRUST

SikaControl[®]-180 AER

DECLARATION OF PERFORMANCE Nr. 10393062

1	UNIQUE IDENTIFICATION CODE OF THE PRODUCT- TYPE:	10393062
2	INTENDED USE/S	EN 934-2:2009+A1:2012 Air entraining admixture (Tab. T5)
3	MANUFACTURER:	Sika Services AG Tüffenwies 16-22 8064 Zürich
4	AUTHORISED REPRESENTATIVE:	
5	SYSTEM/S OF AVCP:	System 2+
6a	HARMONISED STANDARD:	EN 934-2:2009+A1:2012
	Notified body/ies:	0921

Declaration of Performance SikaControl®-180 AER 10393062 2024.10, ver. 01

1013

7 DECLARED PERFORMANCE/S

EN 934-2:
2009+A1:2012

8 APPROPRIATE TECHNICAL DOCUMENTATION AND/OR -SPECIFIC TECHNICAL DOCUMENTATION

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Name : Oliver Mannheim Function: Product Engineer At Stuttgart on 30 October 2024 Name : Jörg Krahnert Function: Quality Management At Stuttgart on 30 October 2024

Ircel

End of information as required by Regulation (EU) No 305/2011



Declaration of Performance SikaControl®-180 AER 10393062 2024.10, ver. 01 1013

BUILDING TRUST

	24	
Sika	Services AG, Zurich, Switzerland	
	DoP No. 10393062	
	EN 934-2:2009+A1:2012	
	Notified Body 0921	
	Air entraining admixture	
Chloride ion content	≤ 0,10 Mass-%	
Alkali content	≤ 1,00 Mass-%	
Corrosion behavior	Contains components only from EN 934-1:2008, Appendix A1	
Compressive strength	Passed	
Air content (entrained air)	Passed	
Air void characteristic	Passed	
Dangerous substances	NPD	

http://dop.sika.com

ECOLOGY, HEALTH AND SAFETY INFORMATION (REACH)

For information and advice on the safe handling, storage and disposal of chemical products, users shall refer to the most recent Safety Data Sheet (SDS) containing physical, ecological, toxicological and other safety related data.

LEGAL NOTE

The information, and, in particular, the recommendations relating to the application and end-use of Sika products, are given in good faith based on Sika's current knowledge and experience of the products when properly stored, handled and applied under normal conditions in accordance with Sikas recommendations. In practice, the differences in materials, substrates and actual site conditions are such that no warranty in respect of merchantability or of fitness for a particular purpose, nor any liability arising out of any legal relationship whatsoever, can be inferred either from this information, or from any written recommendations, or from any other advice offered. The user of the product must test the products suitability for the intended application and purpose. Sika reserves the right to change the properties of its products. The proprietary rights of third parties must be observed. All orders are accepted subject to our current terms of sale and delivery. Users must always refer to the most recent issue of the local Product Data Sheet for the product concerned, copies of which will be supplied on request.

Declaration of Performance

SikaControl®-180 AER 10393062 2024.10, ver. 01 1013

BUILDING TRUST

Sika Deutschland GmbH Kornwestheimer Straße 103-107 70439 Stuttgart Germany www.sika.de

Declaration of Performance

SikaControl®-180 AER 10393062 2024.10, ver. 01 1013



BUILDING TRUST