

Sika[®] ViscoCrete[®] G-5

DECLARATION OF PERFORMANCE

Nr. 28047437

1	UNIQUE IDENTIFICATION CODE OF THE PRODUCT- TYPE:	28047437
2	INTENDED USE/S	EN 934-2:2009+A1:2012 Plastisizer for the production of concrete (Tab. T2)
3	MANUFACTURER:	Sika Services AG Tüffenwies 16-22 8064 Zürich
4	AUTHORISED REPRESENTATIVE:	
5	SYSTEM/S OF AVCP:	System 2+
6a	HARMONISED STANDARD:	EN 934-2:2009+A1:2012
	Notified body/ies:	0921

Declaration of Performance

Sika[®] ViscoCrete[®] G-5
28047437
2024.10, ver. 01
1013

7 DECLARED PERFORMANCE/S

Essential Characteristics	Performance	Harmonised Technical Specification
Chloride ion content	≤ 0,10 Mass-%	EN 934-2: 2009+A1:2012
Alkali content	≤ 1,00 Mass-%	
Corrosion behavior	Contains components only from EN 934-1:2008, Anhang A1	
Air content	NPD	
Compressive strength	NPD	
Water reduction	Passed	
Dangerous substances	NPD	

8 APPROPRIATE TECHNICAL DOCUMENTATION AND/OR - SPECIFIC TECHNICAL DOCUMENTATION

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Name : Oliver Mannheim
 Function: Product Engineer
 At Stuttgart on 15 October 2024

Name : Jörg Krahnert
 Function: Quality Management
 At Stuttgart on 15 October 2024




End of information as required by Regulation (EU) No 305/2011

Declaration of Performance

Sika® ViscoCrete® G-5
 28047437
 2024.10, ver. 01
 1013





24

Sika Services AG, Zurich, Switzerland

DoP No. 28047437

EN 934-2:2009+A1:2012

Notified Body 0921

Plastisizer for concrete

Chloride ion content	≤ 0,10 Mass-%
Alkali content	≤ 1,00 Mass-%
Corrosion behavior	Contains components only from EN 934-1:2008, Anhang A1
Air content	NPD
Compressive strength	NPD
Water reduction	Passed
Dangerous substances	NPD

<http://dop.sika.com>

ECOLOGY, HEALTH AND SAFETY INFORMATION (REACH)

For information and advice on the safe handling, storage and disposal of chemical products, users shall refer to the most recent Safety Data Sheet (SDS) containing physical, ecological, toxicological and other safety related data.

LEGAL NOTE

The information, and, in particular, the recommendations relating to the application and end-use of Sika products, are given in good faith based on Sika's current knowledge and experience of the products when properly stored, handled and applied under normal conditions in accordance with Sikas recommendations. In practice, the differences in materials, substrates and actual site conditions are such that no warranty in respect of merchantability or of fitness for a particular purpose, nor any liability arising out of any legal relationship whatsoever, can be inferred either from this information, or from any written recommendations, or from any other advice offered. The user of the product must test the products suitability for the intended application and purpose. Sika reserves the right to change the properties of its products. The proprietary rights of third parties must be observed. All orders are accepted subject to our current terms of sale and delivery. Users must always refer to the most recent issue of the local Product Data Sheet for the product concerned, copies of which will be supplied on request.

Declaration of Performance

Sika® ViscoCrete® G-5
28047437
2024.10, ver. 01
1013

3/4

BUILDING TRUST



Sika Deutschland GmbH
Kornwestheimer Straße 103-
107
70439 Stuttgart
Germany
www.sika.de

Declaration of Performance

Sika® ViscoCrete® G-5
28047437
2024.10, ver. 01
1013

4/4

BUILDING TRUST

