

PRODUCT DATA SHEET

SikaRoof® Anchor M12 Levelling Set

Leveling kit

DESCRIPTION



USES

SikaRoof® Anchor M12 Levelling Set may only be used by experienced professionals.

Levelling set in combination with the SikaRoof Anchor 250 and SikaShield Anchor 400 for fixing and levelling roof mounted products to exposed Sarnafil® FPO, Sikaplan® PVC and SikaShield® roofing membranes.

Suitable for all Sika roof waterproofing membranes:

- Sarnafil AT (FPO-PP)
- Sarnafil T (FPO-PP)
- Sikaplan (PVC)
- SikaShield (Bitumen)

FEATURES

- Ease of installation
- Made of stainless steel
- M12 threaded rod for secure fastening and levelling to the SikaRoof® Anchor 250 and SikaShield® Anchor 400

PRODUCT INFORMATION

Packaging	Cardboard box contains: 20 pcs. M12 Thread rods with 100 mm length 60 pcs. M12 nuts 20 pcs. washers
Colour	Stainless Steel
Shelf life	The ingredients retain their properties when stored in their original, unopened, undamaged packaging in a cool, dry place.
Storage conditions	SikaRoof® Anchor M12 Levelling Set must be stored properly in original unopened, sealed and undamaged packaging in cool and dry conditions.
Dimensions	M12 Thread Rod 100 mm (±1)
Weight	Approx. 2.45 kg/box

Ambient air temperature

-40°C to +50°C

Permanent ambient temperature during use is limited to +50°C.


SYSTEM INFORMATION

System structure

Suitable for use in conjunction with the following system components:

- SikaRoof® Anchor 250 FPO
 - SikaRoof® Anchor 250 PVC
 - SikaShield® Anchor 400 Bitumen
-

System



- Screw in the M12 Thread rod (2) into the M12 Nut from the SikaRoof Anchor 250/SikaShield Anchor 400 Bitumen (1)
 - Fix the M12 Thread rod (2) with a M12 nut (3)
 - Positioning the height with a M12 nut (3)
 - Assemble the further build up and fix it with the washer (4) and M12 nut (3)
-

PRODUCT DATA SHEET

SikaRoof® Anchor M12 Levelling Set
December 2025, Version 01.01
02094505130000007

BASIS OF PRODUCT DATA

All technical data stated in this Data Sheet are based on laboratory tests. Actual measured data may vary due to circumstances beyond our control.

LIMITATIONS OF USE

SikaRoof® Anchor M12 Levelling Set is not responsible for the permissible SikaRoof® Anchor Washer 140 forces or the related loading calculations which might comply according to local regulations.

- Installation works must only be carried out by Sika® trained contractors.

ECOLOGY, HEALTH AND SAFETY

For information and advice on the safe handling, storage and disposal of chemical products, users shall refer to the most recent Material Safety Data Sheet containing physical, ecological, toxicological and other safety-related data.

APPLICATION INSTRUCTIONS

APPLICATION

- Installation of some ancillary products, e.g. cleaners is limited to temperatures above +5 °C. Please observe information given by Product Data Sheets.
- Special measures may be compulsory for installation below +5 °C ambient temperature due to safety requirements in accordance with national regulations.
- The product is not classified as hazardous goods for transport.

LOCAL RESTRICTIONS

Note that as a result of specific local regulations the declared data and recommended uses for this product may vary from country to country. Consult the local Product Data Sheet for the exact product data and uses.

LEGAL NOTES

The information, and, in particular, the recommendations relating to the application and end-use of Sika products, are given in good faith based on Sika's current knowledge and experience of the products when properly stored, handled and applied under normal conditions in accordance with Sika's recommendations. In practice, the differences in materials, substrates and actual site conditions are such that no warranty in respect of merchantability or of fitness for a particular purpose, nor any liability arising out of any legal relationship whatsoever, can be inferred either from this information, or from any written recommendations, or from any other advice offered. The user of the product must test the product's suitability for the intended application and purpose. Sika reserves the right to change the properties of its products. The proprietary rights of third parties must be observed. All orders are accepted subject to our current terms of sale and delivery. Users must always refer to the most recent issue of the local Product Data Sheet for the product concerned, copies of which will be supplied on request.

Sika Deutschland CH AG & Co KG
Kornwestheimer Straße 103 - 107
D - 70439 Stuttgart
Tel.: +49 711 8009-0
Fax: +49 711 8009-321
info@de.sika.com
www.sika.de

PRODUCT DATA SHEET
SikaRoof® Anchor M12 Levelling Set
December 2025, Version 01.01
02094505130000007

SikaRoofAnchorM12LevellingSet-en-DE-(12-2025)-1-1.pdf