

Print Date 06.05.2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : PCI CARRAMENT GRAU

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Tile adhesive

1.3 Details of the supplier of the safety data sheet

Company	:	PCI Augsburg GmbH PICCARDSTR. 11 86159 AUGSBURG
Telephone	:	+4982159010
Telefax	:	+498215901372
E-mail address of person responsible for the SDS	:	rpc@mbcc-group.com

1.4 Emergency telephone number

ChemTel: +1-813-248-0585

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture


Classification (REGULATION (EC) No 1272/2008)

Skin irritation, Category 2	H315: Causes skin irritation.

Serious eye damage, Category 1 H318: Causes serious eye damage.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)





Revision Date: 27.04.2024 Date of last issue: 08.04.2024	Version 2.0		Print Date 06.05.2024
Precautionary statements :	P101 P102 P103	If medical advice is needed, hav container or label at hand. Keep out of reach of children. Read label before use.	/e product
	Prevention: P264 P280	Wash skin thoroughly after hand Wear protective gloves/ eye pro	
	Response: P305 + P351 +	protection. P338 + P310 IF IN EYES: Rins with water for several minutes. F tact lenses, if present and easy tinue rinsing. Immediately call a CENTER/ doctor.	Remove con- to do. Con-

Hazardous components which must be listed on the label:

Cement (chromium reduced)

2.3 Other hazards

The content of soluble Chromium (VI) is not greater than 0,0002% in accordance with Annex XVII, Paragraph 47 of the EU Regulation 1907/2006. The product reacts highly alkaline with water.

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)
	Registration number		
Cement (chromium reduced)	65997-15-1	Skin Irrit. 2; H315	>= 10 - < 20
	266-043-4	Eye Dam. 1; H318	
		STOT SE 3; H335	
		(Respiratory system)	

For explanation of abbreviations see section 16.



Revision Date: 27.04.2024 Date of last issue: 08.04.2024 Version 2.0

Print Date 06.05.2024

SECTION 4: First aid measures

4.1 Description of first aid measu	ires	5		
General advice	:	Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.		
If inhaled	:	Move to fresh air. Consult a physician after significant exposure.		
In case of skin contact	:	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.		
In case of eye contact	:	Small amounts splashed into eyes can cause irreversible tis- sue damage and blindness. In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Continue rinsing eyes during transport to hospital. Remove contact lenses. Keep eye wide open while rinsing.		
If swallowed	:	Do not induce vomiting without medical advice. Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person.		
4.2 Most important symptoms an	nd e	ffects, both acute and delayed		
Symptoms	:	Excessive lachrymation Erythema Dermatitis See Section 11 for more detailed information on health effects and symptoms.		
Risks	:	Causes skin irritation. Causes serious eye damage.		
		irritant effects		
4.3 Indication of any immediate n	nec	lical attention and special treatment needed		
Treatment	:	Treat symptomatically.		
SECTION 5: Firefighting measures				
5.1 Extinguishing media Suitable extinguishing media	:	In case of fire, use water/water spray/water jet/carbon diox- ide/sand/foam/alcohol resistant foam/chemical powder for extinction.		



Revision Date: 27.04.2024 Date of last issue: 08.04.2024		Version 2.0	Print Date 06.05.2024
5.2 Special hazards arising from	the	e substance or mixture	
Hazardous combustion prod- ucts	:	No hazardous combustion products are known	
5.3 Advice for firefighters			
Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathin	ng apparatus.
Further information	:	Standard procedure for chemical fires.	
Special protective equipment for firefighters	:		ng apparatus.

No special environmental precautions required.

SECTION 6: Accidental release measures

6.1 Personal precautions, protectiv	e equipment and emergency procedures
Personal precautions :	Use personal protective equipment. Avoid breathing dust. Deny access to unprotected persons.
6.2 Environmental precautions	
Environmental precautions :	Try to prevent the material from entering drains or water courses.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Pick up and arrange disposal without creating dust. Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling	:	 Avoid exceeding the given occupational exposure limits (see section 8). Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Follow standard hygiene measures when handling chemical products 	
Advice on protection against fire and explosion	:	Avoid dust formation. Provide appropriate exhaust ventilation at places where dust is formed.	
Hygiene measures	:	Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not	
Country DE 00000720055		A /	



Revision Date: 27.04.2024 Date of last issue: 08.04.2024 Version 2.0

Print Date 06.05.2024

smoke. Wash hands before breaks and at the end of workday.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers	:	Keep container tightly closed in a dry and well-ventilated place. Store in accordance with local regulations.
Storage class (TRGS 510)	:	13
Further information on stor- age stability	:	Keep in a dry place. No decomposition if stored and applied as directed.
7.3 Specific end use(s)		
Specific use(s)	:	Consult most current local Product Data Sheet prior to any use.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form	Control parame-	Basis *
		of exposure)	ters *	
Cement (chromium reduced)	65997-15-1	AGW (Inhalable	5 mg/m3	DE TRGS 900
		fraction)		
	Further information: Senate commission for the review of com- pounds at the work place dangerous for the health (MAK-			iew of com-
				(MAK-
	commission).	commission).		
	Further information: Substances that cause concern that they			
	could be carcinogenic for man but cannot be assessed conclu-			sed conclu-
	sively becaus	se of lack of data		

*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

general dust value

Form of exposure	Peak-limit: excursion factor (category)	Value type	Control parame- ters	Basis	
Inhalable fraction	2;(II)	AGW	10 mg/m3	DE TRGS 900	
Alveolate fraction	2;(II)	AGW	1,25 mg/m3	DE TRGS 900	
	Further information: When there is compliance with the OEL and biological tolerance values, there is no risk of harming the unborn child				

8.2 Exposure controls

Engineering measures

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

:

Personal protective equipment

Eye/face protection

Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water



Revision Date: 27.04.2024 Date of last issue: 08.04.2024	Version 2.0	Print Date 06.05.2024
Hand protection	: Chemical-resistant, impervious gloves complyi proved standard must be worn at all times whe chemical products. Reference number EN 374 facturer specifications.	en handling
	Recommended: Butyl rubber/nitrile rubber glov Contaminated gloves should be removed.	/es.
Skin and body protection	Dust impervious protective suit Protective clothing (e.g. Safety shoes acc. to E long-sleeved working clothing, long trousers). and protective boots are additionaly recommen and stirring work.	Rubber aprons
Respiratory protection	In case of inadequate ventilation wear respirat Respirator selection must be based on known exposure levels, the hazards of the product an ing limits of the selected respirator. particulate filter P P1: Inert material; P2, P3: hazardous substance Ensure adequate ventilation. This can be achie exhaust extraction or by general ventilation. (E ods for determining inhalation exposure). This ticular to the mixing / stirring area. In case this to keep the concentrations under the occupation limits then respiration protection measures mu	or anticipated d the safe work- ces eved by local N 689 - Meth- applies in par- is not sufficent onal exposure
Environmental exposure cont		
General advice	 Try to prevent the material from entering drains courses. No special environmental precautions required 	

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state Appearance Colour	:	solid powder grey
Odour	:	odourless
Melting point/range / Freezing point	:	No data available
Boiling point/boiling range	:	No data available
Flammability (solid, gas)	:	No data available



Revision Date: 27.04.2024 Date of last issue: 08.04.2024 Version 2.0

Print Date 06.05.2024

Upper/lower flammability or explosive limits Upper explosion limit / Up- : No data available per flammability limit

Lower explosion limit / Lower flammability limit	:	No data available
Flash point	:	Not applicable
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
рН	:	> 11 Concentration: 50 %
Viscosity Viscosity, dynamic	:	Not applicable
Viscosity, kinematic	:	Not applicable
Solubility(ies) Water solubility	:	No data available
Partition coefficient: n- octanol/water	:	No data available
Vapour pressure	:	No data available
Density	:	ca. 1.800 - 2.400 kg/m3
Relative vapour density	:	No data available
Particle characteristics	:	No data available

9.2 Other information

No data available



Revision Date: 27.04.2024 Date of last issue: 08.04.2024 Version 2.0

Print Date 06.05.2024

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

The product is chemically stable.

10.3 Possibility of hazardous reactions

Hazardous reactions : No hazards to be specially mentioned.

10.4 Conditions to avoid

Conditions to avoid	:	No data available
---------------------	---	-------------------

10.5 Incompatible materials

Materials to avoid : No data available

10.6 Hazardous decomposition products

No hazardous decomposition products are known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified due to lack of data.

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitisation

Skin sensitisation

Not classified due to lack of data.

Respiratory sensitisation

Not classified due to lack of data.

Germ cell mutagenicity

Not classified due to lack of data.

Carcinogenicity

Not classified due to lack of data.

Reproductive toxicity

Not classified due to lack of data.

Revision Date: 27.04.2024 Date of last issue: 08.04.2024 Version 2.0

Print Date 06.05.2024

STOT - single exposure

Not classified due to lack of data.

STOT - repeated exposure

Not classified due to lack of data.

Aspiration toxicity

Not classified due to lack of data.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 12: Ecological information

12.1 Toxicity

No data available

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

12.6 Endocrine disrupting properties

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.





Revision Date: 27.04.2024 Date of last issue: 08.04.2024 Version 2.0

Print Date 06.05.2024

12.7 Other adverse effects

Product:

Additional ecological infor- : There is no data available for this product. mation

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

In accordance with the EWC Waste Regulation the classification of waste is to be assigned to the jurisdiction of the origin of waste. Therefore, it is not possible to assign a particular waste identification number.
 Completely emptied packagings may be given for recycling.
 Empty packaging may still contain hazardous residues. Empty packaging should be removed by a licensed waste contractor. Sika has agreed disposal contracts for all packaging which is brought into circulation in Germany.
 For further details see www.sika.de

SECTION 14: Transport information

14.1 UN number or ID number		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.2 UN proper shipping name		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.3 Transport hazard class(es)		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.4 Packing group		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
IATA (Cargo)	:	Not regulated as a dangerous good
IATA (Passenger)	:	Not regulated as a dangerous good

Revision Date: 27.04.2024

Date of last issue: 08.04.2024

Für Bau-Profis

Print Date 06.05.2024

14.5 Environmental hazards Not regulated as a dangerous	aood		
14.6 Special precautions for use Not applicable	-		
14.7 Maritime transport in bulk a	ccording to IMO instrum	ents	5
Not applicable for product as s	supplied.		
SECTION 15: Regulatory info	rmation		
15.1 Safety, health and environm	ental regulations/legisla	tion	specific for the substance or mixture
International Chemical Weapo Schedules of Toxic Chemicals		:	Not applicable
REACH Information:	REACH Information: All substances contained in our Products are - registered by our upstream suppliers, and/or - registered by us, and/or - excluded from the regulation, and/or - exempted from the registration.		
REACH - Restrictions on the r the market and use of certain mixtures and articles (Annex >	dangerous substances,	:	Conditions of restriction for the fol- lowing entries should be considered: Number on list 75
REACH - Candidate List of Su Concern for Authorisation (Art		:	None of the components are listed (=> 0.1 %).
REACH - List of substances s (Annex XIV)	REACH - List of substances subject to authorisation (Annex XIV)		Not applicable
Regulation (EC) No 1005/2009 on substances that deplete the ozone layer		:	Not applicable
Regulation (EU) 2019/1021 on persistent organic pollu- tants (recast)		:	Not applicable
Regulation (EU) No 649/2012 of the European Parlia- ment and the Council concerning the export and import of dangerous chemicals		:	Not applicable
Seveso III: Directive 2012/18/	EU of the European Parlia	men	t and of the Council on the control of ma-

Version 2.0

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.



Revision Date: 27.04.2024 Date of last issue: 08.04.2024	Version 2.0	Print Date 06.05.2024
Water hazard class (Germa- ny)	: WGK 1 slightly hazardous to water Classification according to AwSV, Annex 1 (5.2)
Volatile organic compounds	: Law on the incentive tax for volatile organic (VOCV) no VOC duties	compounds

Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control) Not applicable

GISCODE : ZP1

Other regulations:

Product is no subject to the Chemicals Prohibition Ordinance.

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

SECTION 16: Other information

Full text of H-Statements	
H315	Causes skin irritation.
H318	Causes serious eye damage.
H335	May cause respiratory irritation.
Full text of other abbreviation	s
Eye Dam.	Serious eye damage
Skin Irrit.	Skin irritation
STOT SE	Specific target organ toxicity - single exposure
	Germany. TRGS 900 - Occupational exposure limit values.
	Time Weighted Average
ADR	European Agreement concerning the International Carriage of
	Dangerous Goods by Road
	Chemical Abstracts Service
DNEL	Derived no-effect level
	Half maximal effective concentration
	Globally Harmonized System
IATA	International Air Transport Association
IMDG	International Maritime Code for Dangerous Goods
LD50	Median lethal dosis (the amount of a material, given all at
	once, which causes the death of 50% (one half) of a group of test animals)
LC50	Median lethal concentration (concentrations of the chemical in
ECSO	air that kills 50% of the test animals during the observation
	period)
MARPOL	International Convention for the Prevention of Pollution from
	Ships, 1973 as modified by the Protocol of 1978



Revision Date: 27.04.2024 Date of last issue: 08.04.2024		Version 2.0	Print Date 06.05.2024
OEL PBT PNEC REACH	:	Occupational Exposure Limit Persistent, bioaccumulative and toxic Predicted no effect concentration Regulation (EC) No 1907/2006 of the Europe and of the Council of 18 December 2006 cor istration, Evaluation, Authorisation and Restr cals (REACH), establishing a European Che	ncerning the Reg- riction of Chemi-
SVHC vPvB	:	Substances of Very High Concern Very persistent and very bioaccumulative	

Further information

Classification of the	e mixture:	Classification procedure:
Skin Irrit. 2	H315	Calculation method
Eye Dam. 1	H318	Calculation method

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

DE / EN