

**BUILDING TRUST** 

# product data sheet Sika<sup>®</sup> Reinigungsmittel-5

Solvent-based cleaner

# TYPICAL PRODUCT DATA (FURTHER VALUES SEE SAFETY DATA SHEET)

| Chemical base           |   | solvent-mixture                      |
|-------------------------|---|--------------------------------------|
| Color                   |   | Clear, transparent                   |
| Density                 | (ISO 2811-1)                                | ~ 0,88 kg/l                          |
| Application temperature |   | + 5 °C bis + 35 °C                   |
| Application method      |   | lint-free paper fleece / paper towel |
| Consumption             | Yield per litre                             | ~ 9 bis 18 m <sup>2</sup>            |
|                         | Linear meter joint per litre*               | ~ 300 bis 600 m                      |
| Flash-off time          | minimum                                     | 15 Minutes                           |
| Shelf life              | (Storage below 25 °C in unopened container) | 12 Months                            |

\* Joint dimension ~ 20 x 15 mm

## DESCRIPTION

Sika® Reinigungsmittel-5 is a solvent for precleaning and degreasing of surfaces prior to sealing and bonding and for cleaning of heavily soiled tools and equipment.

Sika<sup>®</sup> Reinigungsmittel-5 is produced according to the ISO 9001 / 14001 quality assurance system and the Responsible Care program.

#### AREAS OF APPLICATION

Removal of drawing and rolling oils, grease residues, release agents and other heavy soiling from:

Aluminium, steel, stainless steel, non-ferrous metals, rubber and many other non-absorbent and solvent-insensitive materials.

Sika<sup>®</sup> Reinigungsmittel-5 must not be used on absorbent substrates, plastics, paints and other solvent-sensitive materials.

Also suitable for cleaning tools, processing equipment and solvent-insensitive surfaces that are heavily soiled with fresh adhesive or sealant residues.

## METHOD OF APPLICATION

Moisten a lint-free paper towel with Sika<sup>®</sup> Reinigungsmittel-5 and wipe the surfaces to be cleaned. Turn the paper towel several times so that the dirt is well absorbed and not spread. Repeat the process for very heavy soiling. Change the paper towel frequently. Allow to flash off for at least 15 minutes.

Then, if necessary, apply further Sika® pre-treatment agents as required. Close the container tightly immediately after use.

Sika<sup>®</sup> Reinigungsmittel-5 must not be used on sensitive substrates or fresh coats of paint. If in doubt, carry out a preliminary test on an inconspicuous area.

PRODUCT DATA SHEET Sika® Reinigungsmittel-5 Version 04.01 (02 - 2024), en\_DE 01940000050029000

## **IMPORTANT NOTE**

Do not use Sika<sup>®</sup> Reinigungsmittel-5 that has become cloudy or contaminated.

Do not mix or dilute Sika® Reinigungsmittel-5 with other cleaners or solvents.

Do not use Sika<sup>®</sup> Reinigungsmittel-5 on the skin or hands!

Hands/skin must be washed immediately with suitable cleaning wipes, e.g. Sika® PowerClean cleaning wipes or industrial hand cleaners and plenty of water.

Always wear solvent-resistant protective gloves during application to protect hands/skin.

## STORAGE CONDITIONS

Storage below 25 °C in unopened container under dry conditions.

### FURTHER INFORMATION

- Safety Data Sheet
- Pre-treatment Chart Sealing and Bonding

#### PACKAGING INFORMATION

| Bottle (4 bottles per box) | 1 Liter  |
|----------------------------|----------|
| Can                        | 10 Liter |

## BASIS OF PRODUCT DATA

All technical data stated in this document are based on laboratory tests. Actual measured data may vary due to circumstances beyond our control.

#### HEALTH AND SAFETY INFORMATION

For information and advice regarding transportation, handling, storage and disposal of chemical products, users shall refer to the actual Safety Data Sheets containing physical, ecological, toxicological and other safety-related data.

## DISCLAIMER

The information, and, in particular, the recommendations relating to the application and enduse of Sika products, are given in good faith based on Sika's current knowledge and experience of the products when properly stored, handled and applied under normal conditions in accordance with Sika's recommendations. In practice, the differences in materials, substrates and actual site conditions are such that no warranty in respect of merchantability or of fitness for a particular purpose, nor any liability arising out of any legal relationship whatsoever, can be inferred either from this information, or from any written recommendations, or from any other advice offered. The user of the product must test the product's suitability for the intended application and purpose. Sika reserves the right to change the properties of its products. The proprietary rights of third parties must be observed. All orders are accepted subject to our current terms of sale and delivery. Users must always refer to the most recent issue of the local Product Data Sheet for the product concerned, copies of which will be supplied on request.

PRODUCT DATA SHEET Sika® Reinigungsmittel-5 Version 04.01 (02 - 2024), en\_DE 01940000050029000 Sika Deutschland GmbH

Industry Stuttgarter Straße 139 72574 Bad Urach Tel. +49 7125 940-7692 verkauf.industry@de.sika.com www.sika.de



