

PRODUCT DATA SHEET

Sikalastic® Rapid Cleaner

System cleaner for waterproofing systems Sikalastic®-641 and Sikalastic® Rapid-722/-722 Detail.

DESCRIPTION

Fluid solvent

USES

Sikalastic® Rapid Cleaner is used for the cleaning of tools and the pre-treatment (degreasing, cleaning, activation) of different surfaces. Please refer to the primer table of Sikalastic®-641 and Sikalastic® Rapid-722/-722 Detail.

Sikalastic® Rapid Cleaner must never be used as a thinner for Sikalastic® products:

CHARACTERISTICS / ADVANTAGES

- Highly effective
- Rapid evaporation, minimum 15 minutes

PRODUCT INFORMATION

Composition	Ethyl-acetate solvent
Packaging	<u>10 L</u> <u>Tin</u>
Colour	transparent
Shelf life	24 months from production date in its original, unopened and undamaged packaging. Expiry date is announced on the product.
Storage conditions	Store the product in its original packaging, sealed so it is airtight, and in a cool, dry place and far from sources of heat and ignition. Direct sunlight on the containers should be avoided, including on site. High storage temperatures can reduce the durability of the product. Sikalastic® Rapid Cleaner is highly flammable. Reference should also be made to the data regarding handling and transport of hazardous substances recommendations of the material safety datasheet.
Viscosity	fluid

SYSTEM INFORMATION

System performance	Incompatible against not solvent resistant synthetic substances (polystyrene, polycarbonate, acrylic e.g.)
---------------------------	--

BASIS OF PRODUCT DATA

All technical data stated in this Data Sheet are based on laboratory tests. Actual measured data may vary due to circumstances beyond our control.

ECOLOGY, HEALTH AND SAFETY

For information and advice on the safe handling, storage and disposal of chemical products, please refer to the valid Safety Datasheet. The Safety Datasheet provides information and advice on the safe handling, storage and disposal of chemical products and contents physical, ecological, toxicological and further data about safety.

APPLICATION INSTRUCTIONS

APPLICATION

Pour Sikalastic® Rapid Cleaner onto a white, lint-free cloth and rub down the surface to be treated immediately.

After removing some of the contents, reseal the containers immediately, so they are airtight.

Accidentally spilled Sikalastic® Rapid Cleaner has to be wiped up with a cloth immediately.

The cleaning agent must have dried at least 15 minutes before the next processing step.

Reference to the health and safety information of the material safety datasheet has to be made.

LOCAL RESTRICTIONS

The information in this product data sheet is valid for the product supplied by Sika Deutschland GmbH. Please note that information in other countries may differ. Please note the product data sheet valid abroad.

LEGAL NOTES

The information, and, in particular, the recommendations relating to the application and end-use of Sika products, are given in good faith based on Sika's current knowledge and experience of the products when properly stored, handled and applied under normal conditions in accordance with Sika's recommendations. In practice, the differences in materials, substrates and actual site conditions are such that no warranty in respect of merchantability or of fitness for a particular purpose, nor any liability arising out of any legal relationship whatsoever, can be inferred either from this information, or from any written recommendations, or from any other advice offered. The user of the product must test the product's suitability for the intended application and purpose. Sika reserves the right to change the properties of its products. The proprietary rights of third parties must be observed. All orders are accepted subject to our current terms of sale and delivery. Users must always refer to the most recent issue of the local Product Data Sheet for the product concerned, copies of which will be supplied on request.

In addition, our respective terms of sale, delivery and payment apply, which can be viewed and downloaded from www.sika.de. The latest product data sheet applies, which can be requested from us or downloaded from the Internet at www.sika.de.