

SCHÖNOX® PL PLUS

DECLARATION OF PERFORMANCE

No. 212092202

1	UNIQUE IDENTIFICATION CODE OF THE PRODUCT- TYPE:	212092202
2	INTENDED USE/S	General purpose rendering mortar EN 998-1 GP CS IV
3	MANUFACTURER:	Sika Deutschland CH AG & Co KG Niederlassung Rosendahl Alfred-Nobel-Str. 6 D-48720 Rosendahl
4	SYSTEM/S OF AVCP:	System 4, System 3 (Reaction to fire)
5a	HARMONISED STANDARD:	EN 998-1:2016
Notified body/ies:		1378

Declaration of Performance

SCHÖNOX® PL PLUS
212092202
2026.02 , ver. 1
1015

6 DECLARED PERFORMANCE/S

Essential Characteristics	Performance	AVCP	Harmonised Technical Specification
Reaction to fire	Class A1	System 3	EN 998-1:2016
Water absorption	Wc 0	System 4	
Water vapour permeability μ	NPD	System 4	
Adhesion	$\geq 0,5 \text{ N/mm}^2$ - FP:A+B	System 4	
Thermal conductivity $\lambda_{10, \text{dry, mat}}$	NPD	System 4	
Durability	NPD	System 4	
Dangerous substances	NPD	System 4	

7 APPROPRIATE TECHNICAL DOCUMENTATION AND/OR - SPECIFIC TECHNICAL DOCUMENTATION

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Rosendahl on 18 February 2026



Jens Fishedick
Produktmanager

Rosendahl on 18 February 2026



Felix Meinert
Lab Manager R&D MTC

End of information as required by Regulation (EU) No 305/2011 of the European Parliament and of the Council of 9 March 2011 laying down harmonised conditions for the marketing of construction products and repealing Council Directive 89/106/EEC Text with EEA relevance

Declaration of Performance

SCHÖNOX® PL PLUS
212092202
2026.02 , ver. 1
1015



09

Sika Deutschland CH AG & Co KG, Niederlassung Rosendahl, Alfred-Nobel-Str. 6, D-48720 Rosendahl

DoP No. 212092202

EN 998-1:2016

Notified Body 1378

General purpose rendering mortar
EN 998-1 GP CS IV

Reaction to fire

Class A1

Water absorption

Wc 0

Adhesion

 $\geq 0,5 \text{ N/mm}^2$ - FP:A+B<http://dop.sika.com>

ECOLOGY, HEALTH AND SAFETY INFORMATION (REACH)

User must read the most recent corresponding Safety Data Sheets (SDS) before using any products. The SDS provides information and advice on the safe handling, storage and disposal of chemical products and contains physical, ecological, toxicological and other safety-related data.

LEGAL NOTE

Any information provided in this Declaration of Performance ("DoP"), including any descriptions and recommendations relating to the application and end-use of any Sika products ("Products"), are given in good faith based on Sika's current knowledge and experience of the Products when properly stored, handled and applied under normal conditions in accordance with Sika's recommendations. Please note that the materials, substrates and actual site conditions may vary considerably, and therefore Sika makes no warranty for merchantability or fitness for a particular purpose, and accepts no liability for the application and use of the Products, for any recommendations, or for any advice offered. Prior to using, the Product must be tested for its suitability for the intended application and purpose, and the most recent version of the Product Data Sheet must be consulted. Sika reserves the right to change the properties of its Products any time without prior notice. Any orders for Products or services provided by Sika are subject to Sika's current terms and conditions of sale.

Declaration of Performance

SCHÖNOX® PL PLUS

212092202

2026.02 , ver. 1

1015

Declaration of Performance

SCHÖNOX® PL PLUS

212092202

2026.02 , ver. 1

1015

